CHIBA Fire Shark (Item No. 61214)

Description:	Finger glove Carbon X [®] for maximum protection even under extreme conditions. The palm made of leather provides an excellent tactile feel and very good traction and grip even on wet surfaces. Lining with cut-resistant insulation material made of a Kevlar [®] -Glassfibre-mixture for highest cut protection (level 5) and at the same time the best insulation. Additional isolation of the glove with 100% para-aramid felt. The glove is fitted with a waterproof and breathable Eurotex [®] -membrane. Perfect fit by elastic contraction on the wrist. Highest ankle protection with a silicone protector and palm protection, sewn-in elastic band. 3M [®] reflective stripes for better visibility in the dark. Strong pre-curved fingers for a perfect fit All seams are made with Kevlar [®] -thread.			I RE SHARK SHARK
Sizes:	7-13			
Colour:	black			
Length:	about 30 cm			
Materials:				
Palm Hand:	Leather, special double-face fabric with silicone coating			
Top Hand:	Carbon X [®]			
Cuff:	Carbon X ^o Double-face fabric made of 43% Aramid, 37% Polyester, 20% Glass-fibre			
Lining:	Kevlar [®] -felt 100% Para-Aramid			
Membrane:	Eurotex®			
Material-	Shell: 60% Leather, 15% Aramid, 14% Polyacryl, 9% Polyamid, 1% Polyester, 1% Carbon Fibre			
composition	Lining: 66% Aramid, 22% Polyester, 12% Glasfibre			
User Information:				
Washing: Storage:	Superficial pollution can be removed by brushing. Min 5 x washable up to 60°C The glove should be stored in a cool, dark and dry environment at a normal room temperature.			
Limitations:	For special firefighting (entering fire or fire approach) other, special gloves (e.g according to EN 1486) are required. After mechanical or thermal stress the glove has to be checked for damage. Superficial damage by abrasion, sharp or edged objects, by heat and high pollution affect the protective effect. Protective gloves with such or similar damages have to be sorted out			
Pictogram and perf	ormance levels according to	EN 659:2003+A1:2008	i i	
		Results	LS	Notified Body:
		Abrasion	3	
	1	Cut resistance	5	0534
Certificate No.:		Tear resistance	4	Österreichisches Textil-
72347		Puncture resistance	3	Forschungsinstitut, ÖTI
		Burn behavior	4	Sprengergasse 20
		Dexterity	3	A-1050 Wien
M	CHIBA Gloves Germany GmbH Tragmoos 19 83317 Teisendorf	& Co. KG		
Manufacturer:	Deutschland Tel. +49 (0)8666-9856-0 Fax. +49 (0)8666-9856-10 www.chiba.de - info@chiba.de	FIR	EA	

